



Mexico Vouvra Chehuahuad Flyas by Chat Might No 124 Low bottom of the Rio Grande growing on weed willows aug 1857 " 6 Frets Bl Pase Jacky 5 " 695 at Sun Bernadino Sonora (someho on wellow bushes Oct 3 " 578 Margin ga branch of the Barbocomon of the San Pedeo at a deserting left 19 " = 585 Hollside near the Barbocomori Sonora Sonora " 22 329 Near Deserte Rancho on hill sides Whole plant very white (bushes " 15" " 341 " " 2n the valley blimbing widely on My claginaceaex 17 " 484 Low damp Soil near the San Peder On Helianthe Vambrosia, " 11 " 371 Near ojo de gavilar (Hounk-spring) In a valley luy 29 mu 29 u 384 Margin og bornanche Spring Dexas 11 392 Bollon of Rio Grande. On Hedianthus ciliatus forming large grange patche 16 " 503 balley of the Timper 574 mayon of loveranche Spring July 2






1622 Cur. delora O, Alexa Warm Springs, Va C: vottet Markly 1.0'. C. ann i Boyki Georgia - flor ficed, Allany C. Untimu My - All Jorry Cintida C. O.S. Harvey excelete.
C. Dexana to be now A duckoling Mis Gente Con Cellis, Shaff valley of Sa Octors Man toxilo & & They toxio Il Deone, Ospelan 9 wiren Cero, Organia Macy winery MISSOURI BOTANICAL

copyright reserved

GARDEN

cm



e di 641/28 Shat, 2? 1858 Dear Englinan Torreys' 2 Says with me, involved me en ences sant und in his brunding un, until the ent of last week, protpring even Ahring else Thines hand wither to straighten up business then so that I can get away, to juin my inte in bringestiert and have a little Vacation my my one since he were en altang ver 2 years ago! about way of sailing languing Mx to you. - x expreted to get grun dredting, But yn have probably been as hing as I Make. I must be M to mount muning, and your lokes must

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

trece Mights, 1837, Sout as 1. = 1/32 Mr. Listing

hetin = "b. decora"

hetin = "b. ansers", or protesses" "b" DN nut sie yst. Mat is Fenoleis 659? Cumbellate Mightis 1849 CM, was Istulated Muy, That sent to us under letter I. = nv. 520 in distribution Decom mix Distributed obteerighten var. Thelesology Deron arvensis, beter jaberar, & vermoon decora Dioon not dis En anvinsi pulas renj decora leptanthy 522 Aquelanala 5.18 desora anvenis var fubescom I derom van hispidlen MISSOURI BOTANICAL

copyright reserved

GARDEN

cm

wait my set une 2 weeks here And the long of think you would to the four Octder I am punch une vitt and wirned, but a trate n Joney & relapation will 12 set me up 1 and my unfe to who talk till me The has gamed putting get though now some trine to unte to might with lest on news to my MISSOURI BOTANICAL GARDEN SEONGE ENGELMANN PAPERS MISSOURI BOTANICAL

copyright reserved cm

GARDEN

LAA B 656 & 657 Cescute glomente Chois as far west as Paisnee fich near fish Mann, so fan the most westen lovely of this ost. Coryli. E. Afloribus quedri partitis, tubo corollae ampambato orendation asquem et lobos bombi asquemte ; calzois segmentis acretis caninatio, Cobis corollere breviter accumination, inflaxis, esquamis submillis, omnis style podi voronito, oorolla vellulosa reticulat Authur ovats substande. Day near the comment form, but Istyenshe by the rathe larger only, and by the almost entire absence of rolls. big. C. mellet. floritus Congres petricellates, spidis Pegnesti, Lote ovito - brangalantes occuter, tubien corollie companie tate pauls superatibus. lobis onelle taus colatis antiovenis globos. Depresso, stylis filiformbers, ovenis longisite filmeter soldti, lobis Cinti D'anto braviorito, authoris Capsula orreum soissa! corrolla maroescente cirone. deta ralyptintaque - ; Jossepienento oun Gas: capsular in calgoe persistent, capsulae parte superiore our seminbus dendus : unfortuntel. He capielas are not ripe enough to decide this point satisfactorist. but there can be little houbt that it is so as I have it describs 659. b. Curente cuspilite Engl V Calgor bruiteis 3-5 minoribus oventis oblusis fello stipato, sepelis Dijementis ovato orbivaletis obelessis imbrivales; corollar tubo brevioribres. Tubo corollar sub oglandis limbi lobis ovatis aoutius rulis longime; squaceis magnis frace attingentibus, fubrietes, adjustis (?) ter quaterque supementibres, filiformitas


copyright reserved cm GARDEN This form my vonstitute Couspidate van y. obtusa Sepalis ovato obirulatio, oblusio, conthe egla I lass MISSOURI BOTANICAL GARDEN

GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN

In Mountain on Canother ets French 1848 Cuscuta pentagona Più barrens neu Aillsborogh, Nicht Aug. 1848 Engelen Mon. 1845 on Solity & Atter. Is very near C. Congli, and evidently in that sactions which influence by its cremulate v lobes of Corolla with influence points. erenulation produced les large irregulen cells_appears lassif il was frosted. But in the other 2 species of This sestion The owny is avidently posited, with a obglopodi - here however such an anlangement on the top of the owner is handly observable, only the upper part of overy and organice is Thurken then the Calend pace rifloris, floribus pudiallatis (minutes) calques pentamentes (minutes) calques pentagoni segmentis osbirulatis, obtusis, e carinatis, tubu corollae subneque atibus. Tabo rampa. Lato bascirias laureolato, annimates minutes crenulatas fapire incurvas larguite filmeter subeletis limber brevioribus, authuris sondte obsidati, squamis faccien corolle attingentibes, superantibes, incurvis, ovarious subglobosame Algerentike, ogsala sekglobora bisi errolle Jansisteate vivre Date D. I have the this spene, insert it suction apparate, into the spitements of a blade of grass - which became trown near there places mostly A. Commutae don't penitrate the epidem. or if the should happen to pentint into the dink on grusses.

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved





June 1855 Cusanta Cesatiana Bestoloni C. Volggonor Cesati dinnea VIII py 199 ramis filiformiles, glomenlis lexis, pedicellis flores 5-meros 1851 subsegnantibus; rabjois legimentis ovatis antis corolle pitenti takens flants of sublates was spentitus taboque conthe vix longion bus; squemis femmilies profunde levenis saipe Cificis, stylis van um depressen aegustibus sub indusis stigmatite capitatis; ensulla manyra at his rapolies (depresso globone Storintee) Jus-stante. Remortani. Org. V. Cesati and regni Peremortani. Org. V. Cesati detent 1849 " Wedirels /2-1 l. long, flow bet 1/2 l.log very similar to G, Blyonom I, chlororagea Ent probably only a variety or geographical former of it. _____ her short pud villes, smille soutistiflation of only , bus conspicuous eles Did the sealer scales of some overy large in proportion as protoning at of the flowing suller. MISSOURI

cm copyright reserved GARDEN

Currenta coronata algor! - vorgenta Jeans O certain of pour Carrens is Obeyon. Ex hand Minin Godt










Casents Schkuhriana prifig Li gillingan sei Hugganlyk form z. C. Compara (monogyna am ellira = der fflet. ffm Babright Calmase tube corolle Chithy mu Tuffle Calgx taben corollee b.







Lik ford Pagy my Carnets with Jellymeter I Kil & Mithespay is 22 25 Vech. I Ith nei for 1899 : Royal (Floor 1950 p. 468













26 C. Honaiflor år legen. nie 27. 3.8. Cappipulate mi 27. C. comitulata non. 28 C. derora Chois l. ralystratue s. industate 29. C. inflexa lagel., 30 Comiosostela 31. C. racemosa Mark 231. C. den iflom Hook fil 4 33. C. Tas maira nop Vandien, stylis 632 C. pawiflom usp Bruit 23 C. univertiflora a sp. ? Pravis S. 9. Acutae gymon me 35. C. chlororagea lagele, 26. C. anvensig Begn. 37. C. gymnoraspa 1 1/1. gellopag. 38. C. Sandwiche au Chon; 6. leptostylae 39. C. aouta u sp. Gallopa, S. 10. obtes sate aspe 40 C. moranthe chair C. Dubria your 41 (. un'ormatteriles a sp. Chil) S. 16 Arminetee calyptrite 42. C. partita Chi roll. 43 C. stemolepris n.1. quite 44 C. bruchgralgx nop. C. B. Sp. 45. C. Tubinelusa Souri & Hils.

copyright reserved cm

46 C. Californira Choir 47. Coxypetala Bois II. Lezidacike, sepler dithineter Bacterles S. 12. Lepidauche 48. C. reespirate Cagelon. 49. C. Bra teater u sp. Amil 50. C. squaret, ap 4. Mex. 51. C. glomerate Clear; 52. C. rougeette dees. 53. P. grossa a sp. Bolivia MISSOURI BOTANICAL GARDER GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

Frammica stylis capitalis. I detat, stolyre gamorepalo A. Cinounserissae a. brachystylae stylis brevibus plenmyne a basi omssa sabulatis 31. obtusiles bal a, esquamatae, floribes (magnis planies, lages longe prodicallation). 1. Ca grandiflom \$60k. 6. squamigerae florbers Granten pedrirellati, plans que magnis, massis, og elosupalis, profule mangealette, som cyleudsty (except No ?) 2. C. odorate A a Van. 6. C. tinctoria most 4. C. botryordes 4. Sp. 3. C. Jalappennig Schlecht F.C.Chilenin Ker, 7. C. applanata h. sp \$2. acutilobae. 8. C. footida #6813 9. C. acrit. loba ny. Tern 10. C. orlianis Botts
11. C. Chinensis Lam.

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

6. Leptoskylae St. Angulature
brachylobone latinis 27.

consthe bruibing obtaging calgore
plenage laxo ogathiformin 27. 12. C. Amerirana Lei Jag. 13 Cilongiflom Topaganenri HAR Tyloza Chan; conjubora ARom 14. C. Moribunda Hosk. 15 C. prismatira Par. Okors 33 obligius relis s. placet s. account met.

16. C. Sonorieus is a sp. Sonom 17. C. Kanthecherton Mack my 18 C. umbellata #60H 19 C. gracillima u sp May, for 26 20 C. leptantha nsp M. Muxix A Carrafae. a brackgotylae S'. 6 Obtest'ssimal gymoraspue pletgraspae 41 21. Coftusiflorn Hark 22 onstate hop I Brail 23. sphaenvryma a sp. 3. Venegula 3.7. Oxyraspac lobisone. 24 C. vostrala Aluthen. 25 C. Gronovi' will.

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved